

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently amended) A wound-healing composition, comprising:
a wound-treating component; and
fusogenic vesicles,
wherein the vesicles comprise:
a phospholipid which is a stable vesicle former, wherein the phospholipid is a phosphatidylcholine;
at least one unstable vesicle forming member selected from the group consisting of another polar lipid and PEG;
and ATP at a concentration of 1 mM to 50 mM,
wherein the vesicles have a ratio of the stable vesicle former to the unstable vesicle forming member of 1:1 to 500:1 and a fusion rate of at least 20 vesicle fusions/second.
2. (Original) The wound-healing composition of claim 1, wherein the wound-treating component comprises at least one member selected from the group consisting of an antiseptic, an antibiotic, and an anesthetic.
3. (Original) The wound-healing composition of claim 1, wherein the wound-treating component comprises becaplermin.
- 4-6. (Cancelled)
7. (Currently amended) The wound-healing composition of claim 1, wherein the

~~vesicles further comprise the at least one unstable vesicle forming member is PEG.~~

- 8-23. (Cancelled)
24. (Original) A method for promoting wound healing, comprising contacting a wound with the wound-healing composition of claim 1.
25. (Original) The method of claim 24, wherein the wound is a superficial wound.
26. (Cancelled)
27. (Cancelled)
28. (New) The wound-healing composition of claim 1, wherein the at least one unstable vesicle forming member is another polar lipid.
29. (New) The wound-healing composition of claim 1, wherein the fusion rate is at least 10^3 vesicle fusions/second.
30. (New) The wound-healing composition of claim 1, wherein the fusion rate is at least 10^6 vesicle fusions/second.
31. (New) A wound-healing composition, comprising:
at least one member selected from the group consisting of becaplermin, an antiseptic, an antibiotic, and an anesthetic; and
fusogenic vesicles comprising:
ATP,
DOPC, and
POPA.
32. (New) The wound-healing composition of claim 31, wherein a ratio of

Serial No.: 10/627,195

DOPC:POPA is 1:1 to 500:1.

33. (New) The wound-healing composition of claim 31, wherein a ratio of DOPC:POPA is 10:1 to 100:1.